

PLZ	Standort	Typ	Abmessungen	Dachfläche	Baujahr
82008	Unterhaching	Bodenheim Typ 1b	L x B = 105,00 x 4,00 m	420,00 m <sup>2</sup>	2002
85435	Erding	Bodenheim Sondertyp	L x B = 107,00 x 4,80 m	513,60 m <sup>2</sup>	2002 - 2003
82041	Deisenhofen	Bodenheim Typ 1	L x B = 108,00 x 5,90 m	637,20 m <sup>2</sup>	2002 - 2003
22041	Hamburg-Wandsbek	Bodenheim Typ 2	L x B = 69,00 x 9,10 m	627,90 m <sup>2</sup>	2003
25813	Husum	Bodenheim Typ 2	L x B = 51,00 x 5,90 m	300,90 m <sup>2</sup>	2003
25980	Keitum	Bodenheim Typ 1	L x B = 30,00 x 5,00 m	150,00 m <sup>2</sup>	2003
82008	Unterhaching HP Fasanenpark	Bodenheim Typ 1b	L x B = 105,00 x 4,00 m	420,00 m <sup>2</sup>	2003
82024	Taufkirchen	Bodenheim Typ 1b	L x B = 105,00 x 4,00 m	420,00 m <sup>2</sup>	2003
82110	Germering	Bodenheim Typ 1	L x B = 86,00 x 6,70 m	576,20 m <sup>2</sup>	2003
88213	Ravensburg	Bodenheim Typ 2	L x B = 99,00 x 7,80 m	772,20 m <sup>2</sup>	2003
23570	Lübeck-Travemünde	Bodenheim Sondertyp	L x B = 14,00 x 6,00 m	84,00 m <sup>2</sup>	2004
55294	Bodenheim	Bodenheim Typ 1	L x B = 22,00 x 5,60 m	123,20 m <sup>2</sup>	2004
60528	Frankfurt am Main Sportfeld	Typ Frankfurt	L x B = 36,10 x 7,20 m	259,92 m <sup>2</sup>	2004
80999	Allach	Bodenheim Typ 1	L x B = 205,00 x 7,40 m	1517,00 m <sup>2</sup>	2004
81549	München Neubiberg	Bodenheim Typ 1	L x B = 68,00 x 6,20 m	421,60 m <sup>2</sup>	2004
81827	Untermenzing	Bodenheim Typ 1	L x B = 114,00 x 7,40 m	843,60 m <sup>2</sup>	2004
85221	Dachau	Bodenheim Typ 2	L x B = 212,00 x 8,20 m	1738,40 m <sup>2</sup>	2004
85238	Petershausen	Bodenheim Typ 1b Bodenheim Typ 1	L x B = 66,00 x 4,00 m L x B = 105,00 x 7,10 m	264,00 m <sup>2</sup> 745,50 m <sup>2</sup>	2004
89312	Günzburg	Bodenheim Typ 1	L x B = 96,50 x 6,30 m	607,95 m <sup>2</sup>	2004
48329	Havixbeck	Bodenheim 1a / Sondertyp			2005
67806	Bahnhof Rockenhausen	Bodenheim Typ 1	L x B = 40,00 x 7,40 m	296,00 m <sup>2</sup>	2005
85757	Karlsfeld	Bodenheim Typ 2	L x B = 144,00 x 9,80 m	1411,20 m <sup>2</sup>	2005
57223	Kreuztal	Bodenheim Sondertyp	L x B = 25,00 x 5,80 m	145,00 m <sup>2</sup>	2006
57610	Altenkirchen, Bussteig Busbahnhof	Bodenheim Typ 1	L x B = 56,50 x 5,00 m	282,50 m <sup>2</sup>	2006
81247	Obermenzing	Bodenheim Typ 1	L x B = 105,00 x 7,40 m	777,00 m <sup>2</sup>	2006
85567	Grafring b. München	Bodenheim Typ 2	L x B = 28,50 x 10,50 m	299,25 m <sup>2</sup>	2006
91154	Roth	Bodenheim Typ 1	L x B = 57,00 x 6,10 m	347,70 m <sup>2</sup>	2006
21149	Hamburg, OT Neugraben- Fischbek	Bodenheim Typ 1	L x B = 15,00 x 6,30 m	94,50 m <sup>2</sup>	2007
67065	Ludwigshafen, HP Mundenheim	Bodenheim Typ 1	L x B = 33,00 x 6,30 m	207,90 m <sup>2</sup>	2008
67067	Ludwigshafen, HP Mundenheim	Bodenheim Typ	L x B = 25,00 x 6,30 m	157,50 m <sup>2</sup>	2008
67434	Neustadt a. d. Weinstraße	Sanierung von 3 Dächern			2009
80339	München Heimeranplatz	Bodenheim Typ 1	L x B = 100,00 x 7,30 m	730,00 m <sup>2</sup>	2009
80639	München-Hirschgarten	Bodenheim Typ 2	L x B = 42,00 x 10,00 m L x B = 39,00 x 11,00 m	420,00 m <sup>2</sup> 429,00 m <sup>2</sup>	2009
90592	Schwarzenbruck OT Ochenbruck	Bodenheim Typ 1	L x B = 40,00 x 6,50 m	260,00 m <sup>2</sup>	2009

PLZ	Standort	Typ	Abmessungen	Dachfläche	Baujahr
91301	Forchheim Bahnsteig 2	Bodenheim Typ 1	L x B = 65,00 x 7,10 m	461,50 m <sup>2</sup>	2009
81241	München-Pasing	Bodenheim Typ 2	L x B = 155,00 x 9,20 m	1426,00 m <sup>2</sup>	2009 - 2010
91284	Neuhaus an der Pegnitz	Bodenheim Typ 1	L x B = 41,50 x 7,40 m	307,10 m <sup>2</sup>	2009 - 2010
15366	Hoppegarten bei Berlin	Bodenheim light (2 Dächer)	L x B = 2 x 34,00 x 8,70 m	591,60 m <sup>2</sup>	2010
35260	Stadtallendorf	Bodenheim Typ 2	L x B = 60,00 x 7,50 m	450,00 m <sup>2</sup>	2010
56068	Koblenz Hbf	Bodenheim light	L x B = 88,50 x 6,40 m	566,40 m <sup>2</sup>	2010
85764	Oberschleißheim	Bodenheim Typ 1	L x B = 115,00 x 7,60 m	874,00 m <sup>2</sup>	2010
91301	Forchheim Bahnsteig 1	Bodenheim Typ 2	L x B = 65,00 x 8,50 m	552,50 m <sup>2</sup>	2010 - 2011
45257	Essen-Kupferdreh	Bodenheim Typ 1	L x B = 66,00 x 7,60 m	501,60 m <sup>2</sup>	2011
68163	Mannheim HP Sport- und Messepark	Bodenheim light	L x B = 50,00 x 4,50 m L x B = 100,00 x 8,50-10,00m	225,00 m <sup>2</sup> 925,00 m <sup>2</sup>	2011
82343	Possenhofen	Bodenheim Typ 1	L x B = 47,00 x 6,20 m	291,40 m <sup>2</sup>	2011
85560	Ebersberg	HSM	L x B = 33,00 x 4,50 m	148,50 m <sup>2</sup>	2011
81241	München-Pasing	Bodenheim Typ 2	L x B = 155,00 x 9,20 m	1426,00 m <sup>2</sup>	2011 - 2012
15537	Erkner	Bodenheim light	L x B = ca. 150,00 x 4,00 m	600,00 m <sup>2</sup>	2012
27711	Osterholz-Scharmbeck	Bodenheim light	L x B = 44,50 x ca. 7,30 m	324,85 m <sup>2</sup>	2012
31008	Elze	Bodenheim light	L x B = 22,00 x 11,40 m	250,80 m <sup>2</sup>	2012
48653	Coesfeld	Bodenheim light	L x B = 120,00 x 7,56 m L x B = 60,00 x 12,63 m L x B = 32,50 x 8,00 m	907,20 m <sup>2</sup> 757,80 m <sup>2</sup> 260,00 m <sup>2</sup>	2012
63607	Wächtersbach Bf.	Bodenheim light	L x B = 60,00 x 3,65 m	219,00 m <sup>2</sup>	2012
83435	Bad Reichenhall	Bodenheim light (2 Dächer)	L x B = 2 x 60,00 x 4,75 m	570,00 m <sup>2</sup>	2012
35576	Wetzlar	Bodenheim Typ 1 (2 Dächer)	L x B = 2 x 70,00 x 7,60 m	1064,00 m <sup>2</sup>	2012 - 2013
21423	Winsen	Bodenheim Typ 2	L x B = 62,00 x 8,00 m	496,00 m <sup>2</sup>	2013
28844	Kirchweyhe	Bodenheim light	L x B = 32,00 x ca. 7,04 m	225,28 m <sup>2</sup>	2013
45239	Essen-Werden	Bodenheim light (2 Dächer)	L x B = 35,00 x 3,05 m	106,75 m <sup>2</sup>	2013
65817	Eppstein	Bodenheim Typ 1	L x B = 14,80 x 10,20-12,08m L x B = 34,00 x 9,49 m L x B = 34,00 x 5,60 m	164,87 m <sup>2</sup> 322,66 m <sup>2</sup> 190,40 m <sup>2</sup>	2013
79312	Emmendingen	Bodenheim Typ 1	L x B = 36,00 x 7,0/8,15 m	272,70 m <sup>2</sup>	2013
81249	Freiham (Mü-Neuaubing)	Bodenheim light einseitig (2 Dächer)	L x B = 2 x 140,00 x 4,00 m	1120,00 m <sup>2</sup>	2013
81369	Mü-Mittersendling	Bodenheim light	L x B = 60,00 x 3,35 m	201,00 m <sup>2</sup>	2013
55543	Bad Kreuznach	Bodenheim light	L x B = 60,00 x 10,00/14,40m L x B = 49,00 x 9,00 m L x B = 95,00 x 9,00 m L x B = 82,75 x 9,00 m	732,00 m <sup>2</sup> 441,00 m <sup>2</sup> 855,00 m <sup>2</sup> 744,75 m <sup>2</sup>	2013 - 2014

PLZ	Standort	Typ	Abmessungen	Dachfläche	Baujahr
36179	Bebra	Bodenheim light	L x B = 16,00 x 6,50 m	104,00 m <sup>2</sup>	2013 - 2014
			L x B = 58,00 x 8,00 m	464,00 m <sup>2</sup>	
			L x B = 58,00 x 9,70 m	562,60 m <sup>2</sup>	
			L x B = 56,00 x 10,10 m	565,60 m <sup>2</sup>	
			L x B = 21,75 x 8,80 m	191,40 m <sup>2</sup>	
41352	Korschenbroich-Kleinenbroich	Bodenheim light	L x B = 2 x 40,00 x 3,14 m	251,20 m <sup>2</sup>	2014
47229	Duisburg-Rheinhausen	Bodenheim light	L x B = 35,50 x 7,20/10,80 m	319,00 m <sup>2</sup>	2014
			L x B = 31,00 x 9,00 m	279,00 m <sup>2</sup>	
47447	Moers	Bodenheim light	L x B = 35,00 x 6,66/7,18 m	242,20 m <sup>2</sup>	2014
			L x B = 35,00 x 7,41/7,83 m	266,70 m <sup>2</sup>	
54329	Konz	Bodenheim Typ 2	L x B = 25,85 x 11,20 m	289,52 m <sup>2</sup>	2014
			L x B = 20,88 x 8,00 m	167,04 m <sup>2</sup>	
55435	Gau-Algesheim	Bodenheim light	L x B = 26,00 x 5,80 m	150,80 m <sup>2</sup>	2014
63607	Wächtersbach Bf.	Bodenheim light	L x B = 29,00 x 6,70 m	194,30 m <sup>2</sup>	2014
66287	Quierschied	Bodenheim light	L x B = 18,00 x 7,40 m	133,20 m <sup>2</sup>	2014
66625	Nohfelden-Türkismühle	Bodenheim light	L x B = 27,25 x 9,96 m	271,41 m <sup>2</sup>	2014
			L x B = 24,00 x 10,60 m	254,40 m <sup>2</sup>	
76744	Wörth am Rhein	Bodenheim light	L x B = 2 x 28,00 x 6,80 m	380,80 m <sup>2</sup>	2014
81249	Mü-Lochhausen	Bodenheim light	L x B = 51,00 x 7,70 m	392,70 m <sup>2</sup>	2014
81249	Lochhausen	Bodenheim light	L x B = 51,25 x 8,14 m	417,18 m <sup>2</sup>	2014
81369	Mittersending	Bodenheim light	L x B = 60,00 x 6,315 m	378,90 m <sup>2</sup>	2014
51645	Gummersbach	Bodenheim light	L x B = 92,00 x 9,60-11,30 m	961,40 m <sup>2</sup>	2014 - 20105
26721	Ermden	Bodenheim light	L x B = 2 x 78,00 x 11,00 m	1716,00 m <sup>2</sup>	2015
53757	St-Augustin	Stikk	L x B = 2 x 23,824 x 4,7 m	223,95 m <sup>2</sup>	2015
55130	Mainz-Laubenheim	Bodenheim Typ 1	L x B = 15,00 x 6,80 m	102,00 m <sup>2</sup>	2015
		Bodenheim Typ 1b	L x B = 15,00 x 3,00 m	45,00 m <sup>2</sup>	
66625	Türkismühle	Bodenheim light	L x B = 27,25 x 9,79 m	266,78 m <sup>2</sup>	2015
			L x B = 24,00 x 10,60 m	254,40 m <sup>2</sup>	
66663	Merzig	Bodenheim light	L x B = 35,00 x 8,30 m	290,50 m <sup>2</sup>	2015
67583	Guntersblum	Bodenheim Typ 1	L x B = 2 x 27,00 x 6,32 m	341,28 m <sup>2</sup>	2015
47533	Kleve ZOB	Bodenheim Sondertyp	L x B = 42,00 x 9,50 m	399,00 m <sup>2</sup>	2015 - 2016
		Bodenheim Typ 1b	L x B = 42,00 x 3,80 m	159,60 m <sup>2</sup>	
		Bodenheim Typ 1b	L x B = 42,00 x 3,80 m	159,60 m <sup>2</sup>	
65462	Mainz-Gustavsburg	Bodenheim Typ 2	L x B = 40,00 x 8,10 m	324,00 m <sup>2</sup>	2016
			L x B = 40,00 x 8,25 m	330,00 m <sup>2</sup>	
65817	Eppstein	Bodenheim Typ 1	L x B = 34,00 x 5,60 m	190,40 m <sup>2</sup>	2015 - 2016
		Bodenheim Typ 2	L x B = 34,00 x 9,50 m	323,00 m <sup>2</sup>	
		Bodenheim Typ 1 / 1b	L x B = 34,00 x 9,73 - 11,37 m	358,70 m <sup>2</sup>	
51379	Opladen	Typ Zwiesel	L x B = 39,50 x 9,40 m	371,30 m <sup>2</sup>	2015 - 2016
		Typ Zwiesel	L x B = 40,00 x 10,20 m	408,00 m <sup>2</sup>	

PLZ	Standort	Typ	Abmessungen	Dachfläche	Baujahr
50374	Erfstadt	Bodenheim light Typ 2	L x B = 17,00 x 12,14-12,88 m	213,46 m <sup>2</sup>	2015
		Bodenheim light Typ 2	L x B = 17,00 x 12,80-13,20 m	221,09 m <sup>2</sup>	
6632	Gößnitz	Bodenheim Typ 2	L x B = 38,00 x 9,66 - 9,72 m	367,00 m <sup>2</sup>	2015
42651	Solingen	Bodenheim Typ 2	L x B = 162,00 x 10,22 m	1645,82 m <sup>2</sup>	2015
		Bodenheim Typ 1	L x B = 121,00 x 4,34 - 7,54 m	764,72 m <sup>2</sup>	
68647	Biblis	Bodenheim Typ 1	L x B = 30,00 x 5,75 - 7,90 m	202,17 m <sup>2</sup>	2016
47506	Neukirchen	Bodenheim Typ 1	L x B = 29,00 x 7,25 m	210,25 m <sup>2</sup>	2016
97424	Schweinfurt	Bodenheim light Typ 1	L x B = 60,00 x 7,36 m	441,60 m <sup>2</sup>	2016
		Bodenheim lgjht	L x B = 60,00 x 6,50 m	390,00 m <sup>2</sup>	
		Bahnsteigdachsanie rung	L x B = 34,00 x 9,73 - 11,37 m	327,90 m <sup>2</sup>	
58239	Schwerte	Bodenheim light Typ 2	L x B = 35,00 x 10,33 m	361,55 m <sup>2</sup>	2016
		Bodenheim light Typ 2	L x B = 70,00 x 10,40 m	728,00 m <sup>2</sup>	
66625	Türkismühle Busbahnhof	Bodenheim light Typ 1b	L x B = 42,00 x 5,00 m	210,00 m <sup>2</sup>	2016
97070	Würzburg	Bodenheim light Typ 2	L x B = 132,00 x 7,70 m	1016,40 m <sup>2</sup>	2017 - 2020
		Bodenheim light Typ 2	L x B = 220,00 x 7,70 m	1701,70 m <sup>2</sup>	
		Bodenheim light Typ 2	L x B = 132,00 x 8,06 m	1701,70 m <sup>2</sup>	
		Bodenheim light Typ 2	L x B = 132,00 x 7,86 m	1037,52 m <sup>2</sup>	
23996	Bad Kleinen	Bodenheim Typ 2	L x B = 51,00 x 8,51 - 8,63 m	437,07 m <sup>2</sup>	2017
53111	Bonn, UN-Campus	Bodenheim Typ 1b	L x B = 66,00 x 4,00 m	264,00 m <sup>2</sup>	2017
82031	Höllriegelskreuth	Bodenheim Typ 1b	L x B = 35,50 x 4,00 m	142,00 m <sup>2</sup>	2017
77933	Lahr	Zwiesel	L x B = 53,80 x 4,54 m	244,25 m <sup>2</sup>	2017
		Zwiesel	L x B = 35,79 x 9,47 m	378,10 m <sup>2</sup>	
		Zwiesel	L x B = 85,17 x 5,90 m	502,50 m <sup>2</sup>	
83607	Mü-Holzkirchener Flügelbahnhof	Bodenheim Typ 1	L x B = 140,00 x 6,70 m	938,00 m <sup>2</sup>	2017-2019
		Bodenheim Sonderdach	L x B = 140,00 x 6,76 m	946,40 m <sup>2</sup>	
		Bodenheim Typ 1	L x B = 140,00 x 6,79 m	950,60 m <sup>2</sup>	
		Bodenheim Typ 2	L x B = 218,00 x 5,65 m	1231,70 m <sup>2</sup>	
35410	Hungen	Bodenheim light Typ 2	L x B = 18,95 x 7,70 m	145,92 m <sup>2</sup>	2017
L-1350	Howald	Bodenheim light Sonderlösung	L x B = 15,17 x 7,9 - 8,55 m	124,77 m <sup>2</sup>	2017 - 2018
		Bodenheim light Typ 1a	2 St. L x B = 25,38 x 2,60 - 3,15m	145,94 m <sup>2</sup>	
		Bodenheim light Sonderlösung	L x B = 18,65 x 9,50 - 9,90 m	180,91 m <sup>2</sup>	
92237	Sulzbach	Bodenheim Typ 2	L x B = 33,75 x 7,40 m	249,75 m <sup>2</sup>	2017
81539	Perlach	Bodenheim light	L x B = 42,00 x 5,56 - 6,10 m	242,76 m <sup>2</sup>	2017
38226	Salzgitter	Bodenheim light Typ 2	L x B = 36,00 x 10,00 m	360,00 m <sup>2</sup>	2018
70469	Stuttgart-Feuerbach	Bodenheim	L x B = 76,67 x 7,33 - 7,50 m	568,51 m <sup>2</sup>	2018
84032	Landshut	Bodenheim Typ 2	L x B = 43,00 x 9,49 m	408,07 m <sup>2</sup>	2018
34590	Wabern	Bodenheim Typ 1	L x B = 24,00 x 7,25 - 7,63 m	178,56 m <sup>2</sup>	2018
		Bodenheim Typ 2	L x B = 17,5 x 9,61 m	168,18 m <sup>2</sup>	

PLZ	Standort	Typ	Abmessungen	Dachfläche	Baujahr
35305	Grünberg	Bodenheim light Typ 1	L x B = 15,20 x 7,08 m	107,62 m <sup>2</sup>	2018 - 2019
		Bodenheim light Typ 1	L x B = 15,20 x 6,68 m	101,54 m <sup>2</sup>	
58239	Schwerte	Bodenheim light Typ 1	L x B = 45,00 x 6,70 m	301,50 m <sup>2</sup>	2018 - 2019